

Students' Cloud Observations On-Line




Scientists use instruments on satellites orbiting high above the Earth's surface to measure clouds all over the globe. Their goal is to part clouds play in regulating climate.

The CERES (Clouds and the Earth's **Radiant Energy System) instruments** are one tool scientists use to learn


CERES is a PASSIVE REMOTE SENSING understand the Earth's climate and the instrument, which means it obtains information about clouds without being in contact with them. CERES collects data from many orbits around the Earth each day. In order to handle the amount of data **CERES** provides, automatic methods of

about how clouds affect energy transfer in analysis (algorithms) must be developed. the atmosphere. Validation work is then necessary to make certain that the satellite data are reasonable and the algorithms are working correctly. Scientists use instruments on satellites orbiting high above the Earth's surface to measure clouds all over the globe. Their goal is to understand the Earth's climate and the part clouds play in regulating climate.



Base above 6 km: cirrus cirrocumulus cirrostratus contrails

2 km - 6 km: altostratus altocumulus





stratocumulus

cumulonimbus

fog



3 km

2 km

1 km

Base

6 km

5 km

4 km

In order to determine when to make your observations you will need to know what time the satellite passes over your school. You can determine this from the S'COOL website or request it via e-mail or fax.





The S'COOL project supports research on Earth's to the ground truth measurements, so climate by engaging students around the world in any problems with the data or the collecting GROUND TRUTH measurements to provide NASA with validation data for the CERES instruments. Students observe clouds and record basic weather information at the same time a satellite passes over their school, then

transmit those observations to NASA. The

satellite's results are compared

stratus

nimbostratus

stratocumulus cumulus stratus cumulonimbus nimbostratus fog

below 2 km:

cumulus

algorithms can be identified.

Satellite data corresponding to the students' observations are made available over the Internet, so that the students can participate in the validation process.

www.nasa.gov

National Standards in science, math, technology, and geography are met as S'COOL participants observe, compute, and locate vital information.

The front of this poster is to be used as an aid to students' observations of cloud type. The reverse may be reproduced as a set of four 8 1/2 by 11 inch sheets and provides additional information on weather measurements to be made. Results of observations should be recorded and sent to S'COOL using forms provided upon registration.

TO REGISTER OR FOR MORE INFORMATION:

Check out the S'COOL web site http://scool.larc.nasa.gov

Or write to us at

The S'COOL Project Mail Stop 420 NASA Langley Research Center Hampton, VA 23681-2199

Phone: (757) 864-4371 Fax: (757) 864-7996

E-mail: scool@lists.nasa.gov



□Snow/Ice

☐Standing water

☐Muddy ground

☐Leaves on trees

□Dry ground

SURFACE COVER

CLOUDS

Type (see front of this poster) □None

□Low Altitude:

□Stratus ☐ Stratocumulus **□**Cumulus ☐ Cumulonimbus

☐Mid Altitude: □Altostratus □Altocumulus

☐ High Altitude:

☐ Cirrus ☐ Cirrocumulus □ Cirrostratus ☐ Contrails (the condensation trails created by airplanes)

Fraction (Please determine the following for each level of clouds, if visible.) How much of the sky is covered by clouds at that level?

☐ None (0%) ☐ Clear (0-5%) ☐ Partly Cloudy (5-50%) ☐ Mostly Cloudy (50-95%) ☐ Overcast (95-100%)

Visual Opacity (Please determine the following for each level of clouds present.) How thick are the clouds, and how much sunlight can penetrate them?

☐ Opaque (thick clouds which do not allow light to pass through)

☐ Translucent (medium-thickness clouds; some light filters through)

☐ Transparent (thin clouds, light passes easily, some sky visible through clouds)

□Nimbostratus

□Fog


AIR PRESSURE


Air pressure is measured using a barometer. Daily pressures can be obtained by calling a local airport or the weather service. You can also make a simple (albeit less than 100% accurate) barometer from a bowl and a glass of water:

- Clip 4 paper clips to the rim of the glass.
 Fill the glass about 3/4 full of water.
 Place the bowl like a hat over the glass of water.
- 4. Invert the bowl and the glass so that the bowl is upright, with the glass upside-down inside it. Some water will remain in the glass.
- 5. Mark the level of the water on the glass with a grease pencil; mark this line with the reading given on a TV weather report. A drop in the water level in the glass will indicate a drop in air pressure (in the long term it could also indicate evaporation.)

On television reports, pressures are often given in inches of mercury. Scientists prefer to use hectoPascals (hPA).

Here is some help to convert units:






Multiply by this to If your measurement is get hectoPascals: Millibars (mB) Torr (mm of mercury) 1.33 33.86 Inches of mercury Pounds per Square Inch (psi) 68.95

TEMPERATURE

Always take temperature readings in the shade. Direct sunlight will make a thermometer read too high.
Also, if you bring a thermometer
from inside, be sure to allow enough time for the temperature reading to stabilize.

To convert from Fahrenheit to Celsius:



EDUCATIONAL EXCELLENCE

S'COOL is a unique opportunity that involves students in collaborative research with NASA scientists, thus creating a learning opportunity as well as educating inquisitive

101115 (1)	101116 (0)							
100	37.8							
95	35.0							
90	32.2							
85	29.4							
80	26.7							
75	23.9							
70	21.1							
65	18.3							
60	15.6							
55	12.8							
50	10.0							
45	7.2							
40	4.4							
35	1.7							
32	0							
30	-1.1							
25	-3.9							
20	-6.7							
15	-9.4							
10	-12.2							
5	-15.0							
0	-17.8							

Temperature Conversion Chart

Temp (°F) Temp (°C)

TIME

The time that the satellite passes overhead is given in Universal Time (UT), which is the time standard worldwide. Unfortunately, the time shown on your watch isn't. Watches are normally set to "local time." It is relatively simple to convert local time into UT. Consult the following table:

USA Time Zone	To change from local time to UT	To change from UT to local tin
Eastern Standard Time (EST)	+5 hrs	-5 hrs
Eastern Daylight Time (EDT)	+4 hrs	-4 hrs
Central Standard Time (CST)	+6 hrs	-6 hrs
Central Daylight Time (CDT)	+5 hrs	-5 hrs
Mountain Standard Time (MST)	+7 hrs	-7 hrs
Mountain Daylight Time (MDT)	+6 hrs	-6 hrs
Pacific Standard Time (PST)	+8 hrs	-8 hrs
Pacific Daylight Time (PDT)	+7 hrs	-7 hrs

Conversions for other parts of the world are as follows; but if Daylight Savings Time is in effect the times will need to be adjusted.

City or Region	To change from local time to UT	To change from UT to local tin			
Samoa	+11 hrs	-11 hrs			
Hawaii	+10 hrs	-10 hrs			
Alaska	+9 hrs	-9 hrs			
Continental USA	See above	See above			
Newfoundland	+4 hrs	-4 hrs			
Brazilia, Buenos Aires	+3 hrs	-3 hrs			
Cape Verdes	+1 hour	-1 hour			
Greenwich, Dublin	+/- 0	+/- 0			
Rome, Paris, Berlin	-1 hour	+1 hour			
Israel, Cairo	-2 hrs	+2 hrs			
Moscow, Kuwait	-3 hrs	+3 hrs			
Islamabad, Karachi	-5 hrs	+5 hrs			
Bangkok, Jakarta	-7 hrs	+7 hrs			
Hong Kong, Beijing, Singapore	-8 hrs	+8 hrs			
Tokyo, Osaka	-9 hrs	+9 hrs			
Sydney, Melbourne, Guam	-10 hrs	+10 hrs			
Fiji, Wellington, Auckland	-12 hrs	+12 hrs			

LATITUDE &


O Satellite measurements are mapped N in terms of longitude/latitude. To coordinate your observations with the G satellite overpass you will need to know the latitude and longitude of your school.

Latitude is a measure of how far I north or south of the Equator a place is. It is measured in degrees (°); 90° D North is the North Pole; 90° South is E the South Pole; and 0° is the Equator.

Longitude is a measure of how far east or west a place is. It is also measured in degrees. 0° longitude runs through Greenwich, England and is called the Prime Meridian. 90° East longitude runs through Bangladesh; 90° West longitude crosses Guatemala; and 180° longitude (East or West, because the Earth is round) runs through the Pacific Ocean and is called the International Dateline.

NASA Langley Research Center: Latitude: 37.09 N Longitude: -76.38 E or 76.38 W or 283.62E

Your school: Latitude: Longitude:



RELATIVE HUMIDITY

You can figure out relative humidity by using an improvised psychrometer. Here's how:

- 1. Read an outside thermometer's temperature in Celsius.
- 2. Next, tie 1 layer of wet paper towel around the thermometer bulb with a rubber band. Make sure the wet towel is touching the bulb.
- 3. Wave the thermometer vigorously for 1 full minute.
 4. Check the new temperature reading and subtract it from the original reading.
 5. Consult the table to find the percent (%) relative humidity.

This system works because more moisture evaporates from the towel in drier air, taking heat with it.

NOTE: Because actual readings will also vary with pressure, you may wish to compare your values with those given on a weather report.

RELATIVE HUMIDITY FROM WET- AND DRY-BULB READINGS (Values given in percent,%)

Dry Bulb Dry Bulb Reading - Wet Bulb Reading (°C) Reading

 $(^{\circ}C)$

-20

-18 -16

-14 -12

-10

18

20

24 26

28 30

32 34 36

38 40 42

0	1	2	3	4	5	6	7	8	9	10	12	14	16	18	20
100	28													S	22
100	40														
100	48	0												73	0
100	55	11													
100	61	23													Г
100	66	33	0											7	
100	71	41	13											$\Lambda \vdash$	Г
100	73	48	20	0		⊢ F	Rela	tive	Hun	nidit	v (%				Г
100	77	54	32	11			l	ı	1	·		′ —			
100	79	58	37	20	1										
100	81	63	45	28	11										
100	84	68	52	37	22	8									
100	85	70	56	42	29	26	3								Г
100	86	73	60	47	34	22	11								Г
100	87	<i>7</i> 5	63	51	39	28	18	7							
100	88	76	65	54	44	33	23	14	4						
100	89	78	67	57	47	38	29	20	11	3					
100	89	79	69	60	51	42	33	25	17	9					
100	90	80	71	63	54	46	38	30	22	15					Г
100	91	81	73	64	56	48	41	33	26	19	6				П
100	91	82	74	66	58	51	44	37	30	24	11				
100	91	83	75	68	60	53	46	40	34	27	16	5			
100	92	84	76	69	62	55	49	43	37	31	20	9			
100	92	85	77	70	64	57	51	45	39	34	23	14	4		
100	92	85	78	72	65	59	53	47	42	37	26	17	8		
100	93	86	79	73	67	61	55	49	44	39	29	20	12	4	
100	93	86	80	74	68	62	56	51	46	41	32	23	15	8	1
100	93	87	81	75	69	63	58	53	48	43	34	26	18	11	5
100	93	87	81	75	70	64	59	54	50	45	36	28	21	14	8
100	94	88	82	76	71	65	60	56	51	47	38	31	23	17	1
100	94	88	82	77	72	66	62	57	52	48	40	33	26	19	1:
100	94	88	83	77	72	67	63	58	54	50	42	34	28	21	1
100	94	89	83	78	73	68	64	59	55	51	43	36	29	23	1

NW-2007-11-0019-LaRC